Product: Epigen 1513 "A" Page 1 of 6 Date of Issue: September 2020

Hazardous according to criteria of Worksafe Australia 1 PRODUCT & COMPANY UNDERTAKING IDENTIFICATION Product Code: 1513A Major Recommended Use: EpOxy morfar when mixed with "B". Company: Peerfess industrial Systems Pty Ltd Address: 14 097 615 391 Address: 61 (08) 9477 3786 Erak Number: 61 (08) 9477 3786 Erak Number: 13 11 26 2 HAZARDS IDENTIFICATION GHS Classification Service@peerlessindustrialsystems.com Skin sensitisation: Category 2 Serious evel damage / eve irritation: Category 2A Skin sensitisation: Category 2 GHS Label Element Hazard statements: Hazard viciograms: H315 Causes skin irritation. H411 Toxic to aquatic toxicity: Category 2 Signal Word: Yuaring Hazard statements: H15 Causes skin irritation. H411 Toxic to aquatic toxicity: Category 2 Signal Word: P102 Keep out of reach of children P103 Read label before use P103 Read label before use P264 Wash skin thoroughy after handling. P272 Avoid breating dustfume/gas/m					
Product Name: EPIGEN 1513 'A'' Major Recommended Use: Epoxy motar when mixed with 'B''. Company: Peereless Industrial Systems Pty Ltd Address: PO Box 407 Cloverdale WA 6985 AUSTRALIA Telephone Number: 61 (06) 9477 3766 Email: Samucodippeerlessindustrialsystems.com Emergency Telephone Number: 13 11 26 2 HAZARDS IDENTIFICATION GHS Classification Category 2 Serious eye damage / eye irritation: Category 2 Serious eye damage / eye irritation: Category 2 Serious eye damage / eye irritation: Category 2 Signal Word: Warning Hazard statements: H315 Causes skin irritation. H317 Causes are inclusing dustrial dustrial dustrial out of the workplace. P261 Wash skin thorousing use weight intritation. H317 May cause allergic skin reaction. H317 May cause allergic skin reaction. H318 Causes are industrial dustfume/gas/mist/vapours/spray. P264 Wash skin thoroughy after handing. P272 Contaminated work obting should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eyeface protection, gloves, protective clothing. <th colspan="5">Hazardous according to criteria of Worksafe Australia</th>	Hazardous according to criteria of Worksafe Australia				
Product Code: 1513A Major Recommended Use: Epoxy mortar when mixed with "B". Company: 14 007 615 331 Address: PO Box 407 Cloverdale WA 6985 AUSTRALIA Telephone Number: 61 (08) 9477 3786 Ernali: service@perileasindustrialsystems.com Emergency Telephone Number: 13 11 28 3 HZARDS IDENTIFICATION GHS Classification Skin corrosion / irritation: Category 2A Service@perileasindustrialsystems.com Encode amage / eye irritation: Category 2A Category 1 Chronic aquatic toxicity: Category 2A Stain sensitisation: Category 2 GHS Label Element Hazard pictograms: H315 Causes skin irritation. H315 Causes service@perileasin. H315 Causes skin irritation. H315 Causes service with the service	1 PRODUCT & COMPANY UND	DERTAKING IDENTIFICATION			
Major Recommended Use: Epoxy moratar when mixed with "B". Company: Peories Industrial Systems Pty Ltd ABN: 14 097 615 391 Address: PO Box 407 Cloverdale WA 6985 AUSTRALIA Telephone Number: 61 (08) 9477 3786 Email: service@peerlessindustrialsystems.com Email: service@peerlessindustrialsystems.com Email: service@peerlessindustrialsystems.com Skin corrosion / limitation: Category 2 Skin sensitisation: Category 2 Chronic aquatic toxicity: Category 1 Category 1 Category 2 GHS Label Element Hazard pictograms: Variantic toxicity: Category 1 Sin corrosion / limitation: Category 2 Signal Word: Warning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye limitation. H314 Causes skin irritation. H315 Causes skin irritation. H315 Causes serious eye limitation. H315 Causes serious eye limitation. H317 May cause allergic skin reaction. H317 Oxic to aquatic life with long lasting effects.	Product Name:	EPIGEN 1513 "A"			
Company: 14 097 615 391 ABN: 14 097 615 391 Address: PO Box 407 Cloverdale WA 6985 AUSTRALIA Telephone Number: 61 (08) 9477 3786 Ernalit: service@periessindustrialsystems.com Emergency Telephone Number: 13 11 26 2 HAZARDS IDENTIFICATION GHS Classification Category 2 Skin corrosion / irritation: Category 1 Skin corrosian / irritation: Category 1 Chronic aquatic toxicity: Category 2 Stin corrosian / irritation: Category 1 Skin sensitisation: Category 1 Chronic aquatic toxicity: Category 2 GHS Label Element Hazard pictograms: Warning Hazard statements: Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye explace protection. Gives. protective cothing. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing dust/fume/gas/mist/wapours/spray. P264 Wash skin thoroughly after ha	Product Code:	1513A			
ABN: 14 097 615 391 Address: PO Box 407 Cloverdale WA 6985 AUSTRALIA Telephone Number: 61 (08) 9477 3788 Email: Service@peerlessindustrialsystems.com Emergency Telephone Number: 13 11 28 2 HAZARDS IDENTIFICATION GHS Classification Stin corresion / infration: Stin corresion / infration: Category 2 Serious eye damage / eye irritation: Category 2A Category 2 Category 2 Stin corresion / infration: Category 2 Stin corresi	Major Recommended Use:				
Address: PO Box 407 Cloverdale WA 6985 AUSTRALIA Telephone Number: 61 (08) 947 73786 Fax Number: 61 (08) 9477 3786 Emergency Telephone Number: 13 126 2 HAZARDS IDENTIFICATION GHS Classification Skin corrosion / imitation: Category 2 Category 2A Category 2A Serious eye damage / eye irritation: Category 2A Skin sensitisation: Category 2A GHS Label Element Hazard pictograms: Warning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H319 Causes erritation. H319 Causes the environment. P328 Wear eye/face protection, gloves, protective clothing. P321					
Telephone Number: 61 (08) 9477 3788 Fax Number: 61 (08) 9477 3786 Email: service@peerlessindustrialsystems.com Emergency Telephone Number: 13 11 26 2 HAZARDS IDENTIFICATION GHS Classification Category 2 Skin corrosion / irritation: Category 2 Schows equamage / equi irritation: Category 2 Skin sensitisation: Category 1 Chronic aquatic toxicity: Category 2 GHS Label Element Hazard statements: Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious sey inritation. H319 Causes serious sey inritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P102 Keep out of reach of children P103 Reed label before use P261 Avoid breating dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work cloting should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P302 + P332 IF N3 SKIN: Wash with scap and water. P305 + P331 F R31 f FN 374 P333 IF NE YES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P33 + P313 If exin irritation or rash occurs: Get medical advice/ attention. P33 + P313 If exi					
Fax Number: 61 (08) 9477 3766 service:@peerlessindustrialsystems.com Emergency Telephone Number: 13 126 2 HAZARDS IDENTIFICATION GHS Classification Skin corrosion / irritation: Category 2 Category 2A Category 2A Serious eye damage / eye irritation: Category 2A Skin sensitisation: Category 2 GHS Label Element Hazard pictograms: Varning Hazard statements: H315 Causes skin irritation. H315 Causes serious eye irritation. H319 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P208 Weare eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P305 + P351 F P338 IF NI YES: Rines cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P33 + P313 If skin irritation or rash occurs. Get medical advice/ attention. P35 + P351 F P338 IF NI YES: Rines cautiously with water for several minutes. Remove contact clenses if					
Email: service@peerfessindustrialsystems.com Emergency Telephone Number: 13 11 26 2 HAZARDS IDENTIFICATION Skin corrosion / initiation: Category 2 Serious eye damage / eye irritation: Category 1 Chronic aquiatic toxicity: Category 1 Chronic aquiatic toxicity: Category 2 GHS Label Element Category 2 Hazard pictograms: Varning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes scious eye intritation. H319 Causes scious eye intritation expansion. H310 Causes scious eye intritation expansion. H310 Causes coince eyes expanse. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 fr medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with scop and water. P305 + P335 I + P338 IF N EYES: Rinse cautiously with water for sever					
Emergency Telephone Number: 13 11 26 2 HAZARDS IDENTIFICATION GHS Classification Skin corrosion / irritation: Category 2 Category 2A Category 1 Category 2 GHS Label Element Hazard pictograms: Category 2 GHS Label Element Hazard pictograms: Image: Category 2 Signal Word: Warning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H320 Year eye/face protection. P222 Contaminated work clothing should not be allowed out of the workplace. P223 Avoid release to the environment. P230 Wear eye/face protection, gloves, protective clothing. P300 Year eye/face protection, gloves, protective clothing. P305 + P335 I F N3 SIF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenese					
2 HAZARDS IDENTIFICATION GHS Classification Skin corrosion / irritation: Category 2 Category 2 Schrours eye damage / eye irritation: Category 1 Category 2 Skin corrosion / irritation: Category 2 Category 2 GHS Label Element Hazard pictograms: Category 2 Signal Word: Warning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/tume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid realese to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 IF eys Tistline realitously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P					
GHS Classification Skin corrosion / irritation: Serious eye damage / eye irritation: Shin sensitisation: Chronic aquatic toxicity: Category 2 Category 2 Category 1 Category 2 GHS Label Element Hazard pictograms: Image: Constraint of the sense sense of the sense of the sense of the sense					
Skin corrosion / irritation: Category 2 Serious eye damage / eye irritation: Category 2A Skin sensitisation: Category 2A Chronic aquatic toxicity: Category 2 GHS Label Element Category 2 Hazard pictograms: View Correction of the second correct correction of the second correction of the second correction of the second correctic second correction of the second correct correctic c					
Serious eye damage / eye irritation: Category 2A Skin sensitisation: Category 1 Chronic aquatic toxicity: Category 2 GHS Label Element Facard pictograms: Signal Word: Warning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H318 Causes serious eye irritation. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P102 Keep out of reach of children P103 Read label before use P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P302 + P351 I + P338 IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue insing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation persists: Get medical advice/ attention. P337 + P313 If skin irritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persists: Get medical advice/ attention. P337 + P313 If skin erritation persis	GHS Classification				
Skin sensitisation: Category 1 Chronic aquatic toxicity: Category 2 GHS Label Element Hazard pictograms: Signal Word: Warning Hazard statements: H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 IF P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin intritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin intritation presists: Get medical advice/ attention. P337 + P313 If skin intritation presists: Get medical advice/ attention. P337 + P313 If skin eight contaminated clothing and wash before reuse. P391 Collect spillage. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.					
Chronic aquatic toxicity: Category 2 GHS Label Element Example 1 Hazard pictograms: Image: Complexity of the pictor pictor pictor pictor pictor pictor of the pictor o					
GHS Label Element Hazard pictograms: Image: Construction of the second seco					
Hazard pictograms:Image: Construction of the second se	Chronic aquatic toxicity:	Category 2			
NumberNumberSignal Word:WarningHazard statements:H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.Precautionary statements:P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 IF NEYES: Rines cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If skin irritation persists: Get medical advice/ attention. P337 + P313 If skin irritation persists: Get medical advice/ attention. P337 + P313 If sey irritation persists: Get medical advice/ attention. P337 + P313 If sey irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
Hazard statements:H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.Precautionary statements:P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P331 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
Hazard statements:H315 Causes skin irritation. H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.Precautionary statements:P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P331 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
 H317 May cause allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant. 	Signal Word:	Warning			
 H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements: P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing. Response statements: P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant. 	Hazard statements:				
H411 Toxic to aquatic life with long lasting effects.Precautionary statements:P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
Precautionary statements:P102 Keep out of reach of children P103 Read label before use P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
P103 Read label before useP261 Avoid breathing dust/fume/gas/mist/vapours/spray.P264 Wash skin thoroughly after handling.P272 Contaminated work clothing should not be allowed out of the workplace.P273 Avoid release to the environment.P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at handP302 + P352 IF ON SKIN: Wash with soap and water.P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for severalminutes. Remove contact lenses if present and easy to do. Continue rinsing.P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.		H411 Toxic to aquatic life with long lasting effects.			
P103 Read label before useP261 Avoid breathing dust/fume/gas/mist/vapours/spray.P264 Wash skin thoroughly after handling.P272 Contaminated work clothing should not be allowed out of the workplace.P273 Avoid release to the environment.P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at handP302 + P352 IF ON SKIN: Wash with soap and water.P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for severalminutes. Remove contact lenses if present and easy to do. Continue rinsing.P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.	Precautionary statements:	P102 Keep out of reach of children			
P264 Wash skin thoroughly after handling.P272 Contaminated work clothing should not be allowed out of the workplace.P273 Avoid release to the environment.P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at handP302 + P352 IF ON SKIN: Wash with soap and water.P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for severalminutes. Remove contact lenses if present and easy to do. Continue rinsing.P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:	-				
P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
P273 Avoid release to the environment. P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
P280 Wear eye/face protection, gloves, protective clothing.Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
Response statements:P101 If medical advice is needed, have product container or label at hand P302 + P352 IF ON SKIN: Wash with soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
P302 + P352 IF ON SKIN: Wash with soap and water.P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P337 + P313 If eye irritation persists: Get medical advice/ attention.P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.		P280 Wear eye/face protection, gloves, protective clothing.			
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.	Response statements:				
minutes. Remove contact lenses if present and easy to do. Continue rinsing.P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P337 + P313 If eye irritation persists: Get medical advice/ attention.P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P337 + P313 If eye irritation persists: Get medical advice/ attention.P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.					
P362 Take off contaminated clothing and wash before reuse.P391 Collect spillage.Disposal:P501 Dispose of contents/ container to an approved waste disposal plant.		P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.			
P391 Collect spillage. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.					
Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.					
		P391 Collect spillage.			
Poison Schedule (Australia) S5	Disposal:	P501 Dispose of contents/ container to an approved waste disposal plant.			
	Poison Schedule (Australia)	S5			

Other hazards which do not result in classification None known.

Product: Epigen 1513 "A" Page 2 of 6 Date of Issue: September 2020

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Proportion
Epoxy Resin	25068-38-6	<20%
Alkyl Glycidyl Ether	68609-97-2	<5%
Ingredients determined not to be hazardous	not applicable	to 100%

4 FIRST AID MEASURES	3
General advice:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed:	Clean mouth with water and drink afterwards plenty of water. DO NOT induce vomiting and call a physician. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms: and effects, both acute and delayed.	irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation May cause allergic skin reaction Causes serious eye irritation
Notes to physician:	Treat symptomatically.

5 FIRE FIGHTING MEASURES

Suitable extinguishing media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Specific hazards during fire fighting:	Do not allow run-off from firefighting to enter drains or water courses.	
Hazardous combustion: products:	No hazardous combustion products are known.	
Specific extinguishing methods: Collect contaminated fire extinguishing water separately. This must not be discharge to drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
Special protective equipment:	In the event of fire, wear self-contained breathing apparatus.	

Product: Epigen 1513 "A" Page 3 of 6 Date of Issue: September 2020

6 ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. Deny access to unprotected persons.		
Environmental precautions:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.		
Methods and materials for containment and cleaning up:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.		

HANDLING & STORAGE

7

Advice on protection against fire and explosion:	Normal measures for preventive fire protection.
Advice on safe handling:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which a mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of the workday.
Conditions for safe storage:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipme	nt
Respiratory protection:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/ vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates it is necessary.
Eye protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace.

Product: Epigen 1513 "A" Page 4 of 6 Date of Issue: September 2020

Cup

9 PHYSICAL & CHEMICAL PROPERTIES

Odour:None discernibleOdour Threshold:Not availablepH:Not availableMelting Point:Not availableBoiling Point (@760mm Hg):Not availableFlashpoint (°C):> 200°C Closed CEvaporation rate:No data availableFlammability:Not availableUpper explosion limit:Not availableLower explosion limit:Not availableVapour Pressure (mm Hg):Not availableRelative Vapour Density:Not availableDensity:1.55Solubility in Water:InsolublePartition Coefficient n-Octanol/WaterNot availableAuto-ignition temperature:Not availablePer cent Volatiles:< 0.5%Volatile Organic Compounds:< 0.5%

10 STABILITY & REACTIVITY

Reactivity:	No dangerous reaction known under conditions of normal use.
Chemical stability:	The product is chemically stable.
Possibility of hazardous reactions:	Stable under recommended storage conditions.
Conditions to avoid:	Heat and sources of ignition.
Incompatible materials:	Strong oxidizing materials.

11 TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects:

Skin contact : Contact with skin will result in irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic skin reaction. Category 2 Hazard (irritant to skin). Category 1A Hazard (skin sensitiser).

Eve contact:	Causes serious eve irritation.	Category 2A Hazard	(reversible effects to eves)

- Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract
- Inhalation: Material may be an irritant to mucous membranes and respiratory tract.
- Acute toxicity: Not classified based on available information.

Chronic toxicity:

Germ cell mutagenicity:	Not classified based on available information.
Carcinogenicity:	Not classified based on available information.

SAFETY DATA SHEET Page 5 of 6

	Product: Epigen 1513	" A "	Page 5 of 6	Date of Issue: September 2020
Reproducti	ve toxicity:	No	t classified bas	ed on available information.
STOT – sin	gle exposure:	No	t classified bas	ed on available information.
STOT – rep	eated exposure:	No	t classified bas	ed on available information.

Aspiration toxicity: Not classified based on available information.

12 ECOLOGICAL INFORMATION

No data available.
No data available.
No data available.
No data available.

Other adverse effects

Product:

Additional ecological information: Avoid contaminating waterways or discharging to sewers. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13 DISPOSAL CONSIDERATIONS	
Disposal methods	
Waste from residues:	The product should not be allowed to enter drains, water courses or the soil.
	Do not contaminate ponds, waterways or ditches with chemical or used container.
	Send to a licensed waste management company.
Contaminated packaging:	Empty remaining contents.
Containinatou paonaging.	Dispose of as unused product.
	Do not re-use empty containers.

14 TRANSPORT INFORMATION

International Regulation

IATA-DGR	

UN/ID No.	UN 3082
Proper Shipping Name:	Environmentally hazardous substance, liquid, N.O.S.
Class:	9
Packing group:	
Labels:	9
Packing instruction (cargo aircraft):	964
Packing instruction (passenger	964
aircraft):	
IMDG-Code	
UN number:	UN 3082
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class:	9
Packing group:	III
Labels:	9
UN number: Proper shipping name: Class: Packing group:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 III

9 F-A, S-F

EmS Code: Marine pollutant:

This material is classified as a Marine Pollutant (P) according to the International Maritime Dangerous Goods Code

Product: Epigen 1513 "A" Page 6 of 6 Date of Issue: September 2020

Road & Rail Transport "Australian Code for the Transport of Dangerous Goods by Road & Rail"

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in packaging, IBC's or any other receptacles not exceeding 500 Kg (L).

	15	EGULATORY INFORMATION
--	----	-----------------------

Safety, health and environmental regulations / legislation specific for the substance or mixture. Standard for the Uniform Scheduling Schedule 5 of Medicines and Poisons:

International Chemical Weapons Convention (CWC) Not applicable Schedules of Toxic Chemicals and Precursors

Prohibition / Licensing Requirements: There is no applicable prohibition or notification / licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

The components of this product are reported in the following inventories: AICS: On the inventory, or in compliance with the inventory.

16 OTHER INFORMATION

Date format:

September 2020

Safety Data Sheets are updated frequently. Please ensure that you have a current copy. SDS may be obtained from the following website: <u>www.epigen.com.au</u>

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material